

**Legacy 98.01**

Current Part #	Previous Part #	Action	Fabrication Pattern	Color Code	Color Name	Panel Thickness	Escutcheon Width	Mounting Hole Distance	Handle Length	Handle Height	Handle Width	Carton Quantity	Kit Contents
98.01.01.100		Semi-Active (No Key)	Center/3 Hole	01	Wet White	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.02.100		Semi-Active (No Key)	Center/3 Hole	02	Black	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.06.100		Semi-Active (No Key)	Center/3 Hole	06	Vision Tan	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.14.100		Semi-Active (No Key)	Center/3 Hole	14	Mineral Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.75.100		Semi-Active (No Key)	Center/3 Hole	75	Plated Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.76.100		Semi-Active (No Key)	Center/3 Hole	76	Solid Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.86.100		Semi-Active (No Key)	Center/3 Hole	86	Dark Oil Rubbed Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.90.100		Semi-Active (No Key)	Center/3 Hole	90	Satin Nickel (Brass Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.95.100		Semi-Active (No Key)	Center/3 Hole	95	Satin Nickel (Zinc or Steel Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.01.101		Semi-Active (No Key)	Offset/4 Hole	01	Wet White	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.02.101		Semi-Active (No Key)	Offset/4 Hole	02	Black	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.14.101		Semi-Active (No Key)	Offset/4 Hole	14	Mineral Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.75.101		Semi-Active (No Key)	Offset/4 Hole	75	Plated Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet

98.01.76.101		Semi-Active (No Key)	Offset/4 Hole	76	Solid Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.86.101		Semi-Active (No Key)	Offset/4 Hole	86	Dark Oil Rubbed Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.90.101		Semi-Active (No Key)	Offset/4 Hole	90	Satin Nickel (Brass Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.95.101		Semi-Active (No Key)	Offset/4 Hole	95	Satin Nickel (Zinc or Steel Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.01.102		Active (Keyed)	Center/3 Hole	01	Wet White	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.02.102		Active (Keyed)	Center/3 Hole	02	Black	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.06.102		Active (Keyed)	Center/3 Hole	06	Vision Tan	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.14.102		Active (Keyed)	Center/3 Hole	14	Mineral Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.75.102		Active (Keyed)	Center/3 Hole	75	Plated Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.76.102		Active (Keyed)	Center/3 Hole	76	Solid Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.86.102		Active (Keyed)	Center/3 Hole	86	Dark Oil Rubbed Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.90.102		Active (Keyed)	Center/3 Hole	90	Satin Nickel (Brass Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.95.102		Active (Keyed)	Center/3 Hole	95	Satin Nickel (Zinc or Steel	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts,

					Substrate) - PVD									Instruction sheet
98.01.01.103		Active (Keyed)	Center/4 Hole	01	Wet White	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet	
98.01.01.104		Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	01	Wet White	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet	
98.01.02.103		Active (Keyed)	Center/4 Hole	02	Black	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet	
98.01.02.104		Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	02	Black	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet	
98.01.06.101		Semi-Active (No Key)	Offset/4 Hole	06	Vision Tan	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet	
98.01.06.103		Active (Keyed)	Center/4 Hole	06	Vision Tan	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet	
98.01.06.104		Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	06	Vision Tan	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet	
98.01.14.103		Active (Keyed)	Center/4 Hole	14	Mineral Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet	
98.01.14.104		Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	14	Mineral Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet	
98.01.75.103		Active (Keyed)	Center/4 Hole	75	Plated Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet	
98.01.75.104		Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	75	Plated Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet	
98.01.76.103		Active	Center/4	76	Solid Brass	1.13" -	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys,	

		(Keyed)	Hole			2.25"							5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.76.104		Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	76	Solid Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.86.103		Active (Keyed)	Center/4 Hole	86	Dark Oil Rubbed Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.86.104		Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	86	Dark Oil Rubbed Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.90.103		Active (Keyed)	Center/4 Hole	90	Satin Nickel (Brass Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.90.104		Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	90	Satin Nickel (Brass Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.95.103		Active (Keyed)	Center/4 Hole	95	Satin Nickel (Zinc or Steel Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.95.104		Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	95	Satin Nickel (Zinc or Steel Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet