

**Allure® 40.85**

| Current Part # | Previous Part # | Action                 | Fabrication Pattern            | Color Code | Color Name  | Panel Thickness | Escutcheon Width | Mounting Hole Distance | Handle Length | Handle Height | Handle Width | Carton Quantity | Kit Contents   |
|----------------|-----------------|------------------------|--------------------------------|------------|-------------|-----------------|------------------|------------------------|---------------|---------------|--------------|-----------------|--|
| 2122499        | 40.85.02.100    | Semi-Active (No Key)   | Center/3 Hole or Offset/4 Hole | 02         | Black       | 1.18" - 2.31"   | 1"               | 3.93"                  | 9.81"         | 1.73"         | 2.29"        | 10              | Matching inside/outside handles, Lever/tung assembly, 3 Sets of mounting screws, Instruction sheet                           |
| 40.85.24.100   |                 | Semi-Active (No Key)   | Center/3 Hole or Offset/4 Hole | 24         | Beige       | 1.18" - 2.31"   | 1"               | 3.93"                  | 9.81"         | 1.73"         | 2.29"        | 10              | Matching inside/outside handles, Lever/tung assembly, 3 Sets of mounting screws, Instruction sheet                           |
| 40.85.32.100   |                 | Semi-Active (No Key)   | Center/3 Hole or Offset/4 Hole | 32         | White       | 1.18" - 2.31"   | 1"               | 3.93"                  | 9.81"         | 1.73"         | 2.29"        | 10              | Matching inside/outside handles, Lever/tung assembly, 3 Sets of mounting screws, Instruction sheet                           |
| 2122446        | 40.85.BK.100    | Semi-Active (No Key)   | Center/3 Hole or Offset/4 Hole | BK         | Matte Black | 1.18" - 2.31"   | 1"               | 3.93"                  | 9.81"         | 1.73"         | 2.29"        | 10              | Matching inside/outside handles, Lever/tung assembly, 3 Sets of mounting screws, Instruction sheet                           |
| 2122464        | 40.85.FB.100    | Semi-Active (No Key)   | Center/3 Hole or Offset/4 Hole | FB         | Faux Bronze | 1.18" - 2.31"   | 1"               | 3.93"                  | 9.81"         | 1.73"         | 2.29"        | 10              | Matching inside/outside handles, Lever/tung assembly, 3 Sets of mounting screws, Instruction sheet                           |
| 2122500        | 40.85.02.101    | Active (Keyed) OX Hand | Center/3 Hole                  | 02         | Black       | 1.18" - 2.31"   | 1"               | 3.93"                  | 9.81"         | 1.73"         | 2.29"        | 10              | Matching inside/outside handles, Lever/tung assembly, Key cylinder with 2 keys, 3 Sets of mounting screws, Instruction sheet |
| 2122525        | 40.85.24.101    | Active (Keyed) OX Hand | Center/3 Hole                  | 24         | Beige       | 1.18" - 2.31"   | 1"               | 3.93"                  | 9.81"         | 1.73"         | 2.29"        | 10              | Matching inside/outside handles, Lever/tung assembly, Key cylinder with 2 keys, 3 Sets of mounting screws, Instruction sheet |
| 2122546        | 40.85.32.101    | Active (Keyed) OX Hand | Center/3 Hole                  | 32         | White       | 1.18" - 2.31"   | 1"               | 3.93"                  | 9.81"         | 1.73"         | 2.29"        | 10              | Matching inside/outside handles, Lever/tung assembly, Key cylinder with 2 keys, 3 Sets of mounting screws, Instruction sheet |
| 2122447        | 40.85.BK.101    | Active (Keyed) OX Hand | Center/3 Hole                  | BK         | Matte Black | 1.18" - 2.31"   | 1"               | 3.93"                  | 9.81"         | 1.73"         | 2.29"        | 10              | Matching inside/outside handles, Lever/tung assembly, Key cylinder with 2 keys, 3 Sets of mounting screws, Instruction sheet |
| 2122466        | 40.85.FB.101    | Active (Keyed) OX Hand | Center/3 Hole                  | FB         | Faux Bronze | 1.18" - 2.31"   | 1"               | 3.93"                  | 9.81"         | 1.73"         | 2.29"        | 10              | Matching inside/outside handles, Lever/tung assembly, Key cylinder with 2 keys, 3 Sets of mounting screws, Instruction sheet |
| 40.85.02.102   |                 | Active (Keyed) XO Hand | Center/3 Hole                  | 02         | Black       | 1.18" - 2.31"   | 1"               | 3.93"                  | 9.81"         | 1.73"         | 2.29"        | 10              | Matching inside/outside handles, Lever/tung assembly, Key cylinder with 2 keys, 3 Sets of mounting screws, Instruction sheet |
| 2122526        | 40.85.24.102    | Active (Keyed) XO Hand | Center/3 Hole                  | 24         | Beige       | 1.18" - 2.31"   | 1"               | 3.93"                  | 9.81"         | 1.73"         | 2.29"        | 10              | Matching inside/outside handles, Lever/tung assembly, Key cylinder with 2 keys, 3 Sets of mounting screws, Instruction sheet |
| 2122547        | 40.85.32.102    | Active (Keyed) XO Hand | Center/3 Hole                  | 32         | White       | 1.18" - 2.31"   | 1"               | 3.93"                  | 9.81"         | 1.73"         | 2.29"        | 10              | Matching inside/outside handles, Lever/tung assembly, Key cylinder with 2 keys, 3 Sets of mounting screws, Instruction sheet |

|              |              |                              |                                      |    |                |                  |    |       |       |       |       |    |   |
|--------------|--------------|------------------------------|--------------------------------------|----|----------------|------------------|----|-------|-------|-------|-------|----|---|
| 40.85.BK.102 |              | Active<br>(Keyed)<br>XO Hand | Center/3 Hole                        | BK | Matte<br>Black | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, Lever/tung<br>assembly,Key cylinder with 2 keys, 3 Sets of<br>mounting screws, Instruction sheet |
| 2122501      | 40.85.02.103 | Active<br>(Keyed)<br>OX Hand | Offset/4 Hole                        | 02 | Black          | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, Lever/tung<br>assembly,Key cylinder with 2 keys, 3 Sets of<br>mounting screws, Instruction sheet |
| 2122527      | 40.85.24.103 | Active<br>(Keyed)<br>OX Hand | Offset/4 Hole                        | 24 | Beige          | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, Lever/tung<br>assembly,Key cylinder with 2 keys, 3 Sets of<br>mounting screws, Instruction sheet |
| 40.85.32.103 |              | Active<br>(Keyed)<br>OX Hand | Offset/4 Hole                        | 32 | White          | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, Lever/tung<br>assembly,Key cylinder with 2 keys, 3 Sets of<br>mounting screws, Instruction sheet |
| 40.85.BK.103 |              | Active<br>(Keyed)<br>OX Hand | Offset/4 Hole                        | BK | Matte<br>Black | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, Lever/tung<br>assembly,Key cylinder with 2 keys, 3 Sets of<br>mounting screws, Instruction sheet |
| 2122467      | 40.85.FB.103 | Active<br>(Keyed)<br>OX Hand | Offset/4 Hole                        | FB | Faux<br>Bronze | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, Lever/tung<br>assembly,Key cylinder with 2 keys, 3 Sets of<br>mounting screws, Instruction sheet |
| 2122502      | 40.85.02.104 | Active<br>(Keyed)<br>XO Hand | Offset/4 Hole                        | 02 | Black          | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, Lever/tung<br>assembly,Key cylinder with 2 keys, 3 Sets of<br>mounting screws, Instruction sheet |
| 40.85.24.104 |              | Active<br>(Keyed)<br>XO Hand | Offset/4 Hole                        | 24 | Beige          | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, Lever/tung<br>assembly,Key cylinder with 2 keys, 3 Sets of<br>mounting screws, Instruction sheet |
| 40.85.32.104 |              | Active<br>(Keyed)<br>XO Hand | Offset/4 Hole                        | 32 | White          | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, Lever/tung<br>assembly,Key cylinder with 2 keys, 3 Sets of<br>mounting screws, Instruction sheet |
| 40.85.BK.104 |              | Active<br>(Keyed)<br>XO Hand | Offset/4 Hole                        | BK | Matte<br>Black | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, Lever/tung<br>assembly,Key cylinder with 2 keys, 3 Sets of<br>mounting screws, Instruction sheet |
| 2122468      | 40.85.FB.104 | Active<br>(Keyed)<br>XO Hand | Offset/4 Hole                        | FB | Faux<br>Bronze | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, Lever/tung<br>assembly,Key cylinder with 2 keys, 3 Sets of<br>mounting screws, Instruction sheet |
| 2122503      | 40.85.02.105 | Inactive<br>(Dummy)          | Center/3 Hole<br>or Offset/4<br>Hole | 02 | Black          | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, 3 Sets of<br>mounting screws, Instruction sheet  |
| 40.85.24.105 |              | Inactive<br>(Dummy)          | Center/3 Hole<br>or Offset/4<br>Hole | 24 | Beige          | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, 3 Sets of<br>mounting screws, Instruction sheet  |
| 2122550      | 40.85.32.105 | Inactive<br>(Dummy)          | Center/3 Hole<br>or Offset/4<br>Hole | 32 | White          | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, 3 Sets of<br>mounting screws, Instruction sheet  |
| 2122448      | 40.85.BK.105 | Inactive<br>(Dummy)          | Center/3 Hole<br>or Offset/4<br>Hole | BK | Matte<br>Black | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | Matching inside/outside handles, 3 Sets of<br>mounting screws, Instruction sheet  |
|              |              |                              | Center/3 Hole                        |    |                |                  |    |       |       |       |       |    | Matching inside/outside handles, Lever/tung   |

|         |              |                     |                     |    |                |                  |    |       |       |       |       |    |  |
|---------|--------------|---------------------|---------------------|----|----------------|------------------|----|-------|-------|-------|-------|----|--|
| 2122469 | 40.85.FB.105 | Inactive<br>(Dummy) | or Offset/4<br>Hole | FB | Faux<br>Bronze | 1.18" -<br>2.31" | 1" | 3.93" | 9.81" | 1.73" | 2.29" | 10 | assembly,Key cylinder with 2 keys, 3 Sets of<br>mounting screws, Instruction sheet |
|---------|--------------|---------------------|---------------------|----|----------------|------------------|----|-------|-------|-------|-------|----|--|